ООО «OIL GARANT»

No 18/2 Malie Kamenshiky Str
Moscow 115172 Russia

ООО «ОЙЛ ГАРАНТ»

Малые Каменщики ул Д 18/2
115172, Москва Россия

Our Ref: TRST/06-08/011-M75
Date 29 Feb 2012
To: Standard Energy (China) Logistic Co., Ltd

FULL CORPOPATE OFFER

The under signed Co. OOO OIL-GARANT, with full corporate and legal responsibility, under penalty of perjury confirm that we are ready, willing and able to sell the following product.
Name of product: MAZUT M100 GOST 105-85-75
Country of Origin: Russian Federation
Quality Specification: M100 GOST 105-85-75
Quantity: 300, 000 (Three hundred thousand) MT every month
For 12 {Twelve} Consecutive calendar month 3,600,000 (Three Million Six hundred thousand Metric Tons For one year
Delivery: CIF
Contract Period: 12(Twelve) Consecutive Calendar Months, with Rolls and extension
Price: CIF 385.00 Net USD
Payment: Non Transferable documentary Letter of Credit with One month Shipment total value, payable 100% sight
Procedure:
1-Buyer confirms soft offer and issues an ICPO, with right for soft probe.
2-OOO OIL-GARANT" issues FCO.
3-Buyer sign and returns FCO with acceptance letter
4-OOO OIL-GARANT" issues draft Contract open for amendments
5-Buyer returns signed draft contract

ООО «OIL GARANT»
No 18/2 Malie Kamenshiky Str
Moscow 115172 Russia

ООО «ОЙЛ ГАРАНТ»
Малые Каменщики ул Д 18/2
115172, Москва Россия

6-Buyer contact chambers
6-OOO OIL-GARANT" issues NCNDA/IMFPA or Buyer issues
7-OOO OIL-GARANT" issues allocation number to buyer
8-OOO OIL-GARANT" Send hard copies of the contract to buyer with soft POP via DHL
9-Buyer bank issued fax message to seller bank
11-Seller bank reply fax massage to buyer bank to guarantee to buyer FULL POP possession
12-OOO OIL-GARANT "Commercial invoice, including Tank Receipt, SGS Report and Dip Test Authorization to buyer
13-Buyer's bank issued swift DLC OR MT760 to seller bank irrevocable non-operative one month delivery value DLC to seller's bank.
14-Within five (5) banking day after buyer issues the DLC OR MT760.
15-OOO OIL-GARANT "bank issued swift FULL PROOF OF PRODUCT to buyer bank, buyer makes verification and authentication.
16-Within the same five (5) banking, OOO OIL-GARANT" issued operative 2%PB swift MT760 to activate buyer's irrevocable Non-operative DLC as agree in contract
17-Delivery commences as scheduled in contract and shipment should arrive at buyer's discharge port within 30 days.

ООО «OIL GARANT»

No 18/2 Malie Kamenshiky Str
Moscow 115172 Russia

ООО «ОЙЛ ГАРАНТ»

Малые Каменщики ул Д 18/2
115172, Москва Россия

SPECIFICATIONS OF MAZUT M100 GOST 105-85-75
ТЕХНИЧЕСКИЕ МАЗУТА М100 ГОСТ 105-85-75

	COMPONENT КОМПОНЕНТ	RESULT РЕЗУЛЬТАТ
1	Ash content, not more % Содержание золы, не более	0,14
2	Mass fraction of sulphur, not more % - low – sulphur – residual – oil Массовая доля серы, не более% - низкий - сера - остаток - нефть	0,5+/-0,2
3	Temperature of the flash, not less oC in the closed crucible Температура вспышки, не менее о С в закрытом тигле	65
4	In the open crucible oC В открытом тигле о С	110 min
5	The temperature of solidification, not higher oC Температура застывания, не выше о С	25
6	Kinematics viscosity content Кинематика вязкости содержание	118 max
7	Water Воды	0.1% max
8	Mechanical impurities От механических примесей	Lower than 0.1%
9	Acidity Кислотность	Lower than 5 mg KOH/ 100ml
10	Alkalinity Щелочность	Nil
11	Gross Calorific Value Kcal/kg / KJ/kg Теплота Соотношение Ккал / Кг КДж / Кг	Min 9700/41300
12	Density at 15.0 deg. C Kg/l Плотность при 15,0 °. С Кг / л	0.8900-0.9200
13	Hydrogen Sulfide Content (H2S) pom Содержанием сероводорода (H2S) шпиц	0.5 max
14	Carbon Residua Углерода остатков	Lower than 7%
15	Vanadium (V) ppm Ванадия (V) стр / мин	23
16	Aluminum (Al) ppm Алюминий (Al) стр / мин	5
17	Silicon (Si) ppm Кремния (Si) стр / мин	12
18	Nickel (Ni) ppm Никель (Ni) стр / мин	29
19	Aspartames m/m Аспартам м / м	

ООО «OIL GARANT»

No 18/2 Malie Kamenshiky Str
Moscow 115172 Russia

ООО «ОЙЛ ГАРАНТ»

Малые Каменщики ул Д 18/2
115172, Москва Россия

Ойл Гарант

20	Distillation @4 mm Hg	
	Перегонка @ 4 мм рт.ст.	
21	Extracted to 760 mm Hg	
	Извлеченные до 760 мм рт.ст.	
22	Initial Boiling Point deg. C	
	Температура начала кипения град. C	216
23	5% recovered deg. C	259
	5% восстановить град. C	
24	10% recovered deg. C	
	10% восстановить град. C	310
25	20% recovered deg. C	
	20% восстановить град. C	358
26	30% recovered deg. C	
	30% восстановить град. C	445
27	40% recovered deg. C	502
	40% восстановить град. C	
28	50% recovered deg. C	
	50% восстановить град. C	534
29	60% recovered deg. C	
	60% восстановить град. C	538
30	75% recovered deg. C	545
	75% восстановить град. C	
31	80% recovered deg. C	
	80% восстановить град. C	
32	90% recovered deg. C	
	90% восстановить град. C	
33	Final Boiling point deg. C	550
	Конечная точка кипения град. C	
34	Percent Recovered vol	
	Процент Восстановленные том	78%
35	Residue vol	
	Остаток том	22%
36	Total Nitrogen m/m	0.192%
	Всего азота м / м	
37	20. Sodium (Na) ppm	15
	20. Натрия (Na) стр / мин	

ООО «OIL GARANT»

No 18/2 Malie Kamenshiky Str
Moscow 115172 Russia

ООО «ОЙЛ ГАРАНТ»

Малые Каменщики ул Д 18/2
115172, Москва Россия

Yours Faithfully,
Makeey Yakovlev Fradkov
Head Commercial Department
OOO OIL-GARANT

ОГРН 1117746136375
ОБЩЕСТВО С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ ОГРН 1117746136375
"Ойл-гарант"
МОСКВА